# BRIEFCASE BLUES

## COMPLETE TECHNICAL RIDER

#### FOUR-HORN STAGE CONFIGURATION

(revised: 03/2017)



### BRIEFCASE BLUES

### Mics & Inputs

- 1. Front Vocals (JAKE and ELWOOD) REQUIRE STRAIGHT mic stands w/ SOLID BASES.
- 2. Harmonica Mic will be provided by Artist

Vocal Mics	Instrument Mics	DIRECT BOXES (dls)
1 Lead Vox ("JAKE")	1 Guitar Amp	1 dL input / Harmonica
1 Lead Vox ("ELWOOD")	1 Saxophone (bari/tenor)	2 dL inputs / Keyboards
1 Keyboard Vox	1 Saxophone (tenor/alto)	1 dL input / Bass
1 Bass Vox	1 Trumpet	·
1 Guitar Vox	1 Trombone	
1 Drums Vox	1 Drum Mix (basic)	
	Kick `	
1 Offstage Mic (prefer WIRELESS UHF)	Snare	
,	Floor Tom	
	Float. Toms (2)	
	Hi-Hat `´´	
	Cymbals (Left)	
	Cymbals (Right)	

### Monitors & Positions (see Pg. 3 for plot)


1 (	) downstage	center L	.EFT	lead vocals
-----	-------------	----------	------	-------------

1 @ downstage center RIGHT lead vocals / harmonica

1 @ downstage LEFT general horn mix

1 @ centerstage RIGHT keys mix
1 @ upstage LEFT vox mix bass
1 @ upstage RIGHT guitar / vox mix
1 @ drum riser general vox mix






REQUIRED: offstage mic (backstage) for intro of band



#### RISERS AND MONITORS

(Positions are relative and not to scale)



NOTE: KEYBOARD and HORN risers used when available, but not required.